





systematic tripods

series available 2. 3. 4. 5.



Systematic is Gitzo's top of the range tripod family, the choice of exacting professional photographers who use long lenses and heavy cameras. Not only are Systematic Gitzo's strongest and most stable tripods, they're also modular, with a top casting element that opens and closes to allow each tripod to be configured with a flat disk, geared or sliding centre column, video half-ball adaptor, levelling unit or other specialised centre component.

Now, Systematic has been refined, with significant improvements across strength, stability and rigidity; safety and security; set-up speed, ease of use and ergonomics. New construction and bonding techniques have almost doubled maximum payloads by distributing weight more efficiently to the 6X carbon fibre legs, which also feature the G-Lock system for greater power and ease of leg section locking.

In addition, design details on the distinctive new triangular top casting make changing centre components even faster and safer.

The Systematic range has been extended to cover Gitzo Series 2 in order to offer the advantages of mechanical strength and build quality at a more portable size and weight. Each Systematic Series has 3-section, standard 4-section and long 4-section tripods, with Series 3 and 5 also offering an extra-long 4-section model and Series 5 featuring the iconic giant 6-section tripod alongside an ultra-compact 6 section model.

Systematic - the pinnacle of Gitzo technology, craftsmanship and



Systematic's top casting opens to allow specialised centre components to be interchanged. A ratchet locking lever is now used to close and open the top casting quickly and easily.

systematic tripods features





Even if the top casting is left open by accident, the centre component is held securely in place by the secondary safety mechanism until the button is pushed, protecting expensive camera equipment.



The geometry of the top casting improves stability and distributes weight more evenly; combined with a high-performance bonding and assembly process, it gives Systematic its outstanding strength under heavy loads.



Built-in one-piece spiked feet provide a secure footing and fast set-up on all surfaces. The spikes have a resistant anti-scratch finish that protects delicate floors, but protective rubber caps are fitted for everyday usage.



New leg angle selectors offer more grip room to make tripod setup and adjustment easier.

systematic tripods

series

2.

The smallest in the Systematic range, Series 2 is the perfect choice for those who want to travel light but still need the outstanding performance of Gitzo's top professional tripods.

professional tripods.
Suited to DSLRs equipped with lenses up to 300mm,
Series 2 tripods are available in 3- or 4-section models,
each in either standard or long versions.

series

3.

Excellent overall performance with great torsion rigidity, in a size that makes it particularly flexible and adaptable, Series 3 is ideal for use with lenses up to 400mm. Available in 3- or 4-section models, each in either standard or long versions, or an additional extra-long 4-section version.

series

4.

Used with heavier cameras and lenses up to 500mm, Systematic Series 4 gives solid support and torsion rigidity.

Available in 3- or 4-section models, each in either standard or long versions. NOTE: Carbon fibre is now used on all Systematic Series 4 tripods, replacing previous aluminium versions.

series

5.

The choice of the most demanding professionals, Systematic Series 5 tripods now support up to 40kg of camera equipment and accessories, and are the most rigid tripods in the whole Gitzo range.

rigid tripods in the whole Gitzo range.


Supporting the heaviest camera equipment and giving the stability needed by lenses up to 800mm, Systematic Series 5 tripods are available in 3- or 4-section models in standard or long versions, 4-section extra-long version, the iconic 6-section giant tripod and the 6-section ultra-compact tripod.



summary chart









series ref. systematic 2. GT25428 2. GT25328 2. GT2542LS * 3. GT3532LS * 3. GT3532LS * 3. GT3532LS * 3. GT3542LS * 4. GT4552TS * 4. GT4552TS * 4. GT4552GTS *	•	• •	G-lock •	4 3	130 cm/51.2"	9.2 cm/3.6"	T	ā	max.	PERFEC 200mm			
2. GT2542S 2. GT2532S 2. GT2542LS * 3. GT3532S 3. GT3532LS * 3. GT3532LSV 3. GT3542LS * 4. GT4552TS 4. GT4542LS *	•	•	•		130 cm/51.2"	9.2 cm/3.6"	55 G (01 0)						
2. GT2532S 2. GT2542LS * 3. GT3532S 3. GT3532LS * 3. GT3532LSV 3. GT3542LS * 4. GT4552TS 4. GT4542LS *	•	•	•		130 cm/51.2"	9.2 cm/3.6"	FF F (04.0"						
2. GT2542LS * 3. GT3532LS * 3. GT3532LSV * 3. GT3532LSV * 3. GT3542LS * 4. GT4552TS * 4. GT4542LS *	•			3		0.12 0.1.1, 0.10	55.7 cm/21.9"	1.71kg/3.8lbs	25kg/55lbs	•			
3. GT3532S 3. GT3532LS * 3. GT3532LSV 3. GT3542LS * 4. GT4552TS 4. GT4542LS *	•	•		_	136 cm/53.5"	10 cm/3.9"	63.4 cm/25"	1.71kg/3.8lbs	25kg/55lbs	•			
3. GT3532LS * 3. GT3532LSV 3. GT3542LS * 3. GT3542XLS * 4. GT4552TS 4. GT4542LS *			•	4	150 cm/59.1"	9.5 cm/3.7"	60.1 cm/23.7"	1.78kg/3.9lbs	25kg/55lbs	•			
3. GT3532LSV 3. GT3542LS * 3. GT3542XLS * 4. GT4552TS 4. GT4542LS *		•	•	3	129.5 cm/51"	9.8 cm/3.9"	62.1 cm/24.4"	1.88kg/4.1lbs	25kg/55lbs	•	•		
3. GT3542LS * 3. GT3542XLS * 4. GT4552TS 4. GT4542LS *		•	•	3	149.5 cm/58.9"	10.3 cm/4.1"	68.3 cm/26.9"	2kg/4.4lbs	25kg/55lbs	•	•		
3. GT3542XLS * 4. GT4552TS 4. GT4542LS *	•	•	•	3	149.5 cm/58.9"	10.3 cm/4.1"	68.3 cm/26.9"	2kg/4.4lbs	25kg/55lbs	•	•		
4. GT4552TS 4. GT4542LS *	•	•	•	4	146.5 cm/57.7"	9.4 cm/3.7"	57.5 cm/22.6"	1.96kg/4.3lbs	25kg/55lbs	•	•		
4. GT4542LS *	•	•	•	4	200.5 cm/78.9"	10.6 cm/4.2"	72.1 cm/28.4"	2.22kg/4.9lbs	25kg/55lbs	•	•		
	•	•	•	5	134 cm/52.8"	8.5 cm/3.3"	48.5 cm/19.1"	2.15kg/4.7lbs	25kg/55lbs		•	•	
4. GT4552GTS *	•	•	•	4	156.5 cm/61.6"	9.7 cm/3.8"	62.3 cm/24.5"	2.31kg/5.1lbs	25kg/55lbs		•	•	
	•	•	•	5	240 cm/94.5"	10.7 cm/4.2"	73.1 cm/28.8"	2.72kg/6lbs	25kg/55lbs		•	•	
5. GT5532S	•	•	•	3	132.5 cm/52.2"	10.3 cm/4.1"	62.8 cm/24.7"	2.8kg/6.2lbs	40kg/88lbs			•	•
GT5562LTS	•	•	•	6	148 cm/58.3"	8.7 cm/3.4"	49.8 cm/19.6"	2.94kg/6.5lbs	40kg/88lbs			•	•
5. GT5532LS *	•	•	•	3	150 cm/59.1"	10.8 cm/4.3"	68.8 cm/27.1"	2.95kg/6.5lbs	40kg/88lbs			•	•
5. GT5542LS *	•	•	•	4	153.5 cm/60.4"	10 cm/3.9"	61 cm/24"	2.8kg/6.2lbs	40kg/88lbs			•	•
5. GT5562GTS		•	•	6	277 cm/109.1"	11 cm/4.3"	74.9 cm/29.5"	3.6kg/7.9lbs	40kg/88lbs			•	•

^{*} laser markings on the second leg section allow for faster setup to a standard height of 135cm



